

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
Acereae	Acer (Maple)	<i>nigrum</i>	black	3	G	L	
Acereae	Acer (Maple)	<i>saccharum</i>	sugar	3	G	L	
Fagaceae	Fagus (Beech)	<i>grandifolia</i>	American	4	G	L	
Fagaceae	Fagus (Beech)	<i>sylvatica</i>	European, common	4	G	L	
Fagaceae	Quercus (Oak)	<i>alba</i>	white	4	G	L	
Fagaceae	Quercus (Oak)	<i>coccinea</i>	scarlet	5a	G	L	
Fagaceae	Quercus (Oak)	<i>muehlenbergii</i>	chinkapin, yellow, chinquapin	5a	G	L	
Fagaceae	Quercus (Oak)	<i>palustris</i>	pin	4	G	L	
Fagaceae	Quercus (Oak)	<i>prinus</i>	chestnut	5a	G	L	
Fagaceae	Quercus (Oak)	<i>rubra</i>	red	3	G	L	
Juglandaceae	Juglans (Walnut)	<i>cinerea</i>	butternut	3	G	L	Large seed
Juglandaceae	Pterocarya	<i>fraxinifolia</i>	wingnut	6a	G	L	
Magnoliaceae	Liriodendron	<i>tulipifera</i>	tuliptree, tulip poplar, yellow poplar	5a	G	L	
Magnoliaceae	Magnolia (Magnolia)	<i>acuminata</i>	cucumbertree magnolia	4	G	L	
Acereae	Acer (Maple)	<i>x freemanii</i>	freeman	4	I	L	
Betulaceae	Betula (Birch)	<i>nigra</i>	river, red	4a	I	L	
Fabaceae	Gymnocladus	<i>dioicus</i>	Kentucky coffeetree	4	I	L	Male
Fagaceae	Quercus (Oak)	<i>bicolor</i>	swamp white	4	I	L	
Fagaceae	Quercus (Oak)	<i>imbricaria</i>	shingle	5a	I	L	
Fagaceae	Quercus (Oak)	<i>macrocarpa</i>	bur	3	I	L	Large seed
Fagaceae	Quercus (Oak)	<i>shumardii</i>	shumard	5b	I	L	
Hamamelidaceae	Liquidambar (Sweetgum)	<i>styraciflua</i>	sweetgum	5b	I	L	Specify seedless
Hippocastanaceae	Aesculus (Horsechestnut/Bu	<i>chinensis</i>	Chinese HC	5a	I	L	Spiny seed
Hippocastanaceae	Aesculus (Horsechestnut/Bu	<i>hippocastanum</i>	common HC	4	I	L	Spiny seed
Juglandaceae	Carya (Hickory)	<i>cordiformis</i>	bitternut	4	I	L	Large seed
Juglandaceae	Carya (Hickory)	<i>illinoensis</i>	pecan	6a	I	L	Large seed
Juglandaceae	Carya (Hickory)	<i>laciniata</i>	shellbark	5b	I	L	Large seed
Juglandaceae	Carya (Hickory)	<i>ovata</i>	shagbark	4	I	L	Large seed
Lauraceae	Sassafras	<i>albidum</i>	sassafras	5b	I	L	
Nyssaceae	Nyssa	<i>sylvatica</i>	blackgum, sourgum	5a	I	L	Acid

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
<i>Pinaceae</i>	<i>Larix</i> (Larch)	<i>decidua</i>	European, common	4	I	L	
<i>Pinaceae</i>	<i>Larix</i> (Larch)	<i>kaempferi</i>	Japanese	4	I	L	
<i>Pinaceae</i>	<i>Larix</i> (Larch)	<i>laricina</i>	tamarack, eastern, American	2	I	L	
<i>Platanaceae</i>	<i>Platanus</i> (Sycamore/Planetree)	<i>occidentalis</i>	American sycamore	5a	I	L	
<i>Platanaceae</i>	<i>Platanus</i> (Sycamore/Planetree)	<i>x acerifolia</i>	London planetree	5a	I	L	
<i>Taxodiaceae</i>	<i>Metasequoia</i>	<i>glyptostroboides</i>	dawn redwood	5b	I	L	
<i>Taxodiaceae</i>	<i>Taxodium</i> (Baldcypress)	<i>ascendens</i>	pond	5b	I	L	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>americana</i>	American linden, basswood	3	I	L	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>tomentosa</i>	silver leaf, silver	5a	I	L	
<i>Betulaceae</i>	<i>Alnus</i> (Alder)	<i>glutinosa</i>	common	4a	P	L	
<i>Bignoniaceae</i>	<i>Catalpa</i> (Catalpa)	<i>bignonioides</i>	tree	5a	P	L	
<i>Bignoniaceae</i>	<i>Catalpa</i> (Catalpa)	<i>speciosa</i>	northern, hardy	4a	P	L	
<i>Fabaceae</i>	<i>Gleditsia</i> (Honeylocust)	<i>triacanthos</i>	<i>inermis</i> ' (thornless)	4	P	L	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>lyrata</i>	overcup	5	P	L	Takes wet
<i>Ginkgoaceae</i>	<i>Ginkgo</i>	<i>biloba</i>	maiden hair tree, ginkgo	4	P	L	
<i>Juglandaceae</i>	<i>Carya</i> (Hickory)	<i>glabra</i>	pignut	5b	P	L	Large seed
<i>Taxodiaceae</i>	<i>Taxodium</i> (Baldcypress)	<i>distichum</i>	common	5a	P	L	
<i>Ulmaceae</i>	<i>Celtis</i> (Hackberry)	<i>occidentalis</i>	hackberry	2	P	L	
<i>Ulmaceae</i>	<i>Ulmus</i> (Elm)	spp.	elm hybrids	3	P	L	
<i>Ulmaceae</i>	<i>Zelkova</i>	<i>serrata</i>	zelkova, Japanese zelkova	5a	P	L	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>sargentii</i>	sargent cherry	5a	G	L-M	
<i>Ulmaceae</i>	<i>Ulmus</i> (Elm)	<i>parvifolia</i>	lacebark, Chinese	5b	P	L-M	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>pensylvanicum</i>	striped	4b	G	M	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>pseudoplatanus</i>	sycamore	5	G	M	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>triflorim</i>	three-flower	5a	G	M	
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>cordata</i>	heartleaf	5a	G	M	
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>japonica</i>	Japanese	5b	G	M	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>controversa</i>	giant	6a	G	M	
<i>Hamamelidaceae</i>	<i>Parrotia</i>	<i>persica</i>	persian ironwood, iron tree	6a	G	M	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>tripetala</i>	umbrella	5a	G	M	

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
Roseaceae	Prunus (Cherry)	<i>avium</i>	mazzard or sweet cherry	6a	G	M	
Roseaceae	Prunus (Cherry)	<i>maacki</i>	amur chokecherry	3	G	M	
Roseaceae	Prunus (Cherry)	<i>serrulata</i>	paperbark cherry	6a-b	G	M	
Styracaceae	Pterostyrax (Epaulettetree)	<i>hispida</i>	fragrant	6a	G	M	
Theaceae	Stewartia (Stewartia)	<i>pseudocamellia</i>	Japanese	6a	G	M	Acid
Acereae	Acer (Maple)	<i>buergerianum</i>	trident	6a	I	M	
Acereae	Acer (Maple)	<i>campestre</i>	hedge	5a	I	M	
Acereae	Acer (Maple)	<i>griseum</i>	paperbark	5a	I	M	
Acereae	Acer (Maple)	<i>miyabei</i>	miyabei	4	I	M	
Betulaceae	Carpinus (Hornbeam)	<i>betulus</i>	European	5a	I	M	
Betulaceae	Ostrya (Hophornbeam)	<i>virginiana</i>	ironwood, American	3b	I	M	
Cercidiphyllaceae	Cercidiphyllum	<i>japonicum</i>	katsuratree	5a	I	M	
Cupressaceae	Chamaecyparis (Falsecypress)	<i>lawsoniana</i>	lawson	6b	I	M	
Cupressaceae	Chamaecyparis (Falsecypress)	<i>nootkatensis</i>	Alaska-cedar	5b	I	M	
Cupressaceae	Chamaecyparis (Falsecypress)	<i>pisifera</i>	sawara, Japanese	5a	I	M	
Cupressaceae	Chamaecyparis (Falsecypress)	<i>thyoides</i>	Altantic whitecedar	5a	I	M	
Fabaceae	Cladratis	<i>kentukea</i>	yellowwood	4	I	M	
Fabaceae	Maackia	<i>amurensis</i>	amur maackia	4	I	M	
Fagaceae	Quercus (Oak)	<i>acutissima</i>	sawtooth	6a	I	M	
Fagaceae	Quercus (Oak)	<i>phellos</i>	willow	6a	I	M	
Fagaceae	Quercus (Oak)	<i>robur</i>	English	5b	I	M	
Hippocastanaceae	Aesculus (Horsechestnut/Bu	<i>x carnea</i>	red HC	5	I	M	Spiny seed
Magnoliaceae	Magnolia (Magnolia)	<i>grandifolia</i>	southern	6a	I	M	
Roseaceae	Malus (Crabapple)	<i>baccata</i>	Siberian	3	I	M	
Roseaceae	Prunus (Cherry)	<i>subhirtella</i>	cherry	6a	I	M	
Roseaceae	Prunus (Cherry)	<i>x incamp</i>	okame	6b	I	M	
Roseaceae	Prunus (Cherry)	<i>x yedoensis</i>	yoshino	5b	I	M	
Rutaceae	Phellodendron	<i>amurense</i>	amur corktree	4	I	M	
Sapindaceae	Koelreuteria	<i>paniculata</i>	goldenraintree	5b	I	M	
Styracaceae	Halesia (Silverbell)	<i>carolina</i>	carolina	5	I	M	

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor, Int, Good	Size	Notes
<i>Styracaceae</i>	<i>Halesia</i> (Silverbell)	<i>diptera</i>	two winged	6	I	M	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>cordata</i>	littleleaf	3	I	M	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>x euchlora</i>	Crimean	3	I	M	
<i>Betulaceae</i>	<i>Corylus</i> (Filbert)	<i>colurna</i>	Turkish	2b	P	M	
<i>Eucommiaceae</i>	<i>Eucommia</i>	<i>ulmoides</i>	hardy rubber tree	6a	P	M	
<i>Fabaceae</i>	<i>Sophora</i>	<i>japonica</i>	Japanese pagodatree	6a	P	M	
<i>Ulmaceae</i>	<i>Ulmus</i> (Elm)	<i>x frontier</i>	frontier	5	P	M	
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>caroliniana</i>	musclewood, American	3b	G	M-S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>alternifolia</i>	pagoda	4a	G	S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>florida</i>	white flowering	5b	G	S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>officinalis</i>	Japanese, cornal	5a	G	S	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>virginiana</i>	sweetbay	5b	G	S	
<i>Oleaceae</i>	<i>Chionanthus</i> (Fringetree)	<i>virginicus</i>	fringetree	5a	G	S	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>americana</i>	American red plum	3	G	S	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>cerasifera</i>	cherry plum	4	G	S	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>tomentosa</i>	manchu or nanking cherry	3	G	S	
<i>Styracaceae</i>	<i>Styrax</i> (Snowbell)	<i>japonicus</i>	Japanese	6b	G	S	
<i>Styracaceae</i>	<i>Styrax</i> (Snowbell)	<i>obassia</i>	fragrant	6b	G	S	
<i>Theaceae</i>	<i>Stewartia</i> (Stewartia)	<i>ovata</i>	moutain	6b	G	S	Acid
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>tataricum subsp. Gira</i>	amur	3	I	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>tataricum</i>	tatarian	3	I	S	
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>orientalis</i>	oriental	5a	I	S	
<i>Caprifoliaceae</i>	<i>Heptacodium</i>	<i>miconioidies</i>	seven-son flower	5b	I	S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>kousa</i>	kousa	5a	I	S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>mas</i>	corneliancherry	5a	I	S	
<i>Fabaceae</i>	<i>Cercis</i>	<i>canadensis</i>	redbud	5b	I	S	
<i>Hippocastanaceae</i>	<i>Aesculus</i> (Horsechestnut/Bu	<i>pavia</i>	red buckeye	6a	I	S	Spiny seed
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>stellata</i>	star	5a	I	S	
<i>Rutaceae</i>	<i>Evodia</i>	<i>daniellii</i>	korean evodia	5b	I	S	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>x soulangiana</i>	saucer	5a	I-G	S	

MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor, Int, Good	Size	Notes
<i>Roseaceae</i>	<i>Amelanchier</i> (Serviceberry)	<i>arborea</i>	downy	3	I-P	S	
<i>Roseaceae</i>	<i>Amelanchier</i> (Serviceberry)	<i>canadensis</i>	downy	3	I-P	S	
<i>Roseaceae</i>	<i>Amelanchier</i> (Serviceberry)	<i>laevis</i>	alleggheny	3	I-P	S	
<i>Roseaceae</i>	<i>Amelanchier</i> (Serviceberry)	<i>x grandiflora</i>	apple	3	I-P	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>ginnala</i>	amur	3	P	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>truncatum</i>	shantung	5	P	S	
<i>Betulaceae</i>	<i>Alnus</i> (Alder)	<i>incana</i>	white	3a	P	S	
<i>Betulaceae</i>	<i>Alnus</i> (Alder)	<i>rugosa</i>	speckled	3b	P	S	
<i>Oleaceae</i>	<i>Syringa</i> (Lilac)	<i>pekinensis</i>	Pekin	4	P	S	
<i>Oleaceae</i>	<i>Syringa</i> (Lilac)	<i>reticulata</i>	Japanese tree	3	P	S	
<i>Roseaceae</i>	<i>Crataegus</i> (Hawthorn)	<i>crusgalli</i>	<i>inermis'</i> (cockspur)	4	P	S	Specify thornless
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>sargentii</i>	sargents	4	P	S	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>transitoria</i>	golden raindrops	3	P	S	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>tschonoski</i>	tschonoski	3	P	S	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>zumi</i>	calocarpa	4	P	S	

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
Cupressaceae	Chamaecyparis (Falsecypress)	nootkatensis	Alaska-cedar	5b	I	M	
Roseaceae	Amelanchier (Serviceberry)	laevis	allegheny	3	I-P	S	
Cupressaceae	Chamaecyparis (Falsecypress)	thyoides	Altantic whitecedar	5a	I	M	
Fagaceae	Fagus (Beech)	grandifolia	American	4	G	L	
Tiliaceae	Tilia (Linden)	americana	American linden, basswood	3	I	L	
Roseaceae	Prunus (Cherry)	americana	American red plum	3	G	S	
Platanaceae	Platanus (Sycamore/Planetree)	occidentalis	American sycamore	5a	I	L	
Acereae	Acer (Maple)	tataricum subsp. gir	amur	3	I-P	S	
Roseaceae	Prunus (Cherry)	maacki	amur chokecherry	3	G	M	
Rutaceae	Phellodendron	amurense	amur corktree	4	I	M	
Fabaceae	Maackia	amurensis	amur maackia	4	I	M	
Roseaceae	Amelanchier (Serviceberry)	x grandiflora	apple	3	I-P	S	
Juglandaceae	Carya (Hickory)	cordiformis	bitternut	4	I	L	Large seed
Acereae	Acer (Maple)	nigrum	black	3	G	L	
Nyssaceae	Nyssa	sylvatica	blackgum, sourgum	5a	I	L	Acid
Fagaceae	Quercus (Oak)	macrocarpa	bur	3	I	L	Large seed
Juglandaceae	Juglans (Walnut)	cinerea	butternut	3	G	L	Large seed
Roseaceae	Malus (Crabapple)	zumi	calocarpa	4	P	S	
Styracaceae	Halesia (Silverbell)	carolina	carolina	5	I	M	
Roseaceae	Prunus (Cherry)	cerasifera	cherry plum	4	G	S	
Fagaceae	Quercus (Oak)	prinus	chestnut	5a	G	L	
Hippocastanaceae	Aesculus (Horsechestnut/Bu	chinensis	Chinese HC	5a	I	L	Spiny seed
Fagaceae	Quercus (Oak)	muehlenbergii	chinkapin, yellow, chinquapin	5a	G	L	
Betulaceae	Alnus (Alder)	glutinosa	common	4a	P	L	
Taxodiaceae	Taxodium (Baldcypress)	distichum	common	5a	P	L	
Hippocastanaceae	Aesculus (Horsechestnut/Bu	hippocastanum	common HC	4	I	L	Spiny seed
Cornaceae	Cornus (Dogwood)	mas	corneliancherry	5a	I	S	
Tiliaceae	Tilia (Linden)	x euchlora	Crimean	3	I	M	
Magnoliaceae	Magnolia (Magnolia)	acuminata	cucumbertree magnolia	4	G	L	
Taxodiaceae	Metasequoia	glyptostroboides	dawn redwood	5b	I	L	

MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor, Int, Good	Size	Notes
Roseaceae	<i>Amelanchier</i> (Serviceberry)	<i>arborea</i>	downy	3	I-P	S	
Roseaceae	<i>Amelanchier</i> (Serviceberry)	<i>canadensis</i>	downy	3	I-P	S	
Ulmaceae	<i>Ulmus</i> (Elm)	spp.	elm hybrids	3	P	L	
Fagaceae	<i>Quercus</i> (Oak)	<i>robur</i>	English	5b	I	M	
Betulaceae	<i>Carpinus</i> (Hornbeam)	<i>betulus</i>	European	5a	I	M	
Fagaceae	<i>Fagus</i> (Beech)	<i>sylvatica</i>	European, common	4	G	L	
Pinaceae	<i>Larix</i> (Larch)	<i>decidua</i>	European, common	4	I	L	
Styracaceae	<i>Pterostyrax</i> (Epaulettetree)	<i>hispida</i>	fragrant	6a	G	M	
Styracaceae	<i>Styrax</i> (Snowbell)	<i>obassia</i>	fragrant	6b	G	S	
Acereae	<i>Acer</i> (Maple)	<i>x freemanii</i>	freeman	4	I	L	
Oleaceae	<i>Chionanthus</i> (Fringetree)	<i>virginicus</i>	fringetree	5a	G	S	
Ulmaceae	<i>Ulmus</i> (Elm)	<i>x frontier</i>	frontier	5	P	M	
Cornaceae	<i>Cornus</i> (Dogwood)	<i>controversa</i>	giant	6a	G	M	
Roseaceae	<i>Malus</i> (Crabapple)	<i>transitoria</i>	golden raindrops	3	P	S	
Sapindaceae	<i>Koelreuteria</i>	<i>paniculata</i>	goldenraintree	5b	I	M	
Ulmaceae	<i>Celtis</i> (Hackberry)	<i>occidentalis</i>	hackberry	2	P	L	
Eucommiaceae	<i>Eucommia</i>	<i>ulmoides</i>	hardy rubber tree	6a	P	M	
Betulaceae	<i>Carpinus</i> (Hornbeam)	<i>cordata</i>	heartleaf	5a	G	M	
Acereae	<i>Acer</i> (Maple)	<i>campestre</i>	hedge	5a	I	M	
Bignoniaceae	<i>Catalpa</i> (Catalpa)	<i>bignonioides</i>	tree	5a	P	L	
Roseaceae	<i>Crataegus</i> (Hawthorn)	<i>crusgalli</i>	<i>inermis'</i> (cockspur)	4	P	S	Specify thornless
Fabaceae	<i>Gleditsia</i> (Honeylocust)	<i>triacanthos</i>	<i>inermis'</i> (thornless)	4	P	L	
Betulaceae	<i>Ostrya</i> (Hophornbeam)	<i>virginiana</i>	ironwood, American	3b	I	M	
Betulaceae	<i>Carpinus</i> (Hornbeam)	<i>japonica</i>	Japanese	5b	G	M	
Theaceae	<i>Stewartia</i> (Stewartia)	<i>pseudocamellia</i>	Japanese	6a	G	M	Acid
Styracaceae	<i>Styrax</i> (Snowbell)	<i>japonicus</i>	Japanese	6b	G	S	
Pinaceae	<i>Larix</i> (Larch)	<i>kaempferi</i>	Japanese	4	I	L	
Fabaceae	<i>Sophora</i>	<i>japonica</i>	Japanese pagodatree	6a	P	M	
Oleaceae	<i>Syringa</i> (Lilac)	<i>reticulata</i>	Japanese tree	3	P	S	
Cornaceae	<i>Cornus</i> (Dogwood)	<i>officianalis</i>	Japanese. cornal	5a	G	S	

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
<i>Cercidiphyllaceae</i>	<i>Cercidiphyllum</i>	<i>japonicum</i>	katsuratree	5a	I	M	
<i>Fabaceae</i>	<i>Gymnocladus</i>	<i>dioicus</i>	Kentucky coffeetree	4	I	L	Male
<i>Rutaceae</i>	<i>Evodia</i>	<i>daniellii</i>	korean evodia	5b	I	S	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>kousa</i>	kousa	5a	I	S	
<i>Ulmaceae</i>	<i>Ulmus</i> (Elm)	<i>parvifolia</i>	lacebark, Chinese	5b	P	M-L	
<i>Cupressaceae</i>	<i>Chamaecyparis</i> (Falsecypress)	<i>lawsoniana</i>	lawson	6b	I	M	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>cordata</i>	littleleaf	3	I	M	
<i>Platanaceae</i>	<i>Platanus</i> (Sycamore/Planetree)	<i>x acerifolia</i>	London planetree	5a	I	L	
<i>Ginkgoaceae</i>	<i>Ginkgo</i>	<i>biloba</i>	maiden hair tree, ginkgo	4	P	L	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>tomentosa</i>	manchu or nanking cherry	3	G	S	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>avium</i>	mazzard or sweet cherry	6a	G	M	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>miyabei</i>	miyabei	4	I	M	
<i>Theaceae</i>	<i>Stewartia</i> (Stewartia)	<i>ovata</i>	moutain	6b	G	S	Acid
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>caroliniana</i>	musclewood, American	3b	G	S-M	
<i>Bignoniaceae</i>	<i>Catalpa</i> (Catalpa)	<i>speciosa</i>	northern, hardy	4a	P	L	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>x incamp</i>	okame	6b	I	M	
<i>Betulaceae</i>	<i>Carpinus</i> (Hornbeam)	<i>orientalis</i>	oriental	5a	I	S	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>lyrata</i>	overcup	5	P	L	Takes wet
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>alternifolia</i>	pagoda	4a	G	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>griseum</i>	paperbark	5a	I	M	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>serrulata</i>	paperbark cherry	6a-b	G	M	
<i>Juglandaceae</i>	<i>Carya</i> (Hickory)	<i>illinoensis</i>	pecan	6a	I	L	Large seed
<i>Oleaceae</i>	<i>Syringa</i> (Lilac)	<i>pekinensis</i>	Pekin	4	P	S	
<i>Hamamelidaceae</i>	<i>Parrotia</i>	<i>persica</i>	persian ironwood, ironwood	6a	G	M	
<i>Juglandaceae</i>	<i>Carya</i> (Hickory)	<i>glabra</i>	pignut	5b	P	L	Large seed
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>palustris</i>	pin	4	G	L	
<i>Taxodiaceae</i>	<i>Taxodium</i> (Baldcypress)	<i>ascendens</i>	pond	5b	I	L	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>rubra</i>	red	3	G	L	
<i>Hippocastanaceae</i>	<i>Aesculus</i> (Horsechestnut/Bu)	<i>pavia</i>	red buckeye	6a	I	S	Spiny seed
<i>Hippocastanaceae</i>	<i>Aesculus</i> (Horsechestnut/Bu)	<i>x carnea</i>	red HC	5	I	M	Spiny seed

**MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)**

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor,Int,Good	Size	Notes
<i>Fabaceae</i>	<i>Cercis</i>	<i>canadensis</i>	redbud	5b	I	S	
<i>Betulaceae</i>	<i>Betula</i> (Birch)	<i>nigra</i>	river, red	4a	I	L	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>sargentii</i>	sargent cherry	5a	G	M-L	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>sargentii</i>	sargents	4	P	S	
<i>Lauraceae</i>	<i>Sassafras</i>	<i>albidum</i>	sassafras	5b	I	L	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>x soulangiana</i>	saucer	5a	I-G	S	
<i>Cupressaceae</i>	<i>Chamaecyparis</i> (Falsecypress)	<i>pisifera</i>	sawara, Japanese	5a	I	M	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>acutissima</i>	sawtooth	6a	I	M	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>coccinea</i>	scarlet	5a	G	L	
<i>Caprifoliaceae</i>	<i>Heptacodium</i>	<i>miconioides</i>	seven-son flower	5b	I	S	
<i>Juglandaceae</i>	<i>Carya</i> (Hickory)	<i>ovata</i>	shagbark	4	I	L	Large seed
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>truncatum</i>	shantung	5	P	S	
<i>Juglandaceae</i>	<i>Carya</i> (Hickory)	<i>laciniosa</i>	shellbark	5b	I	L	Large seed
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>imbricaria</i>	shingle	5a	I	L	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>shumardii</i>	shumard	5b	I	L	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>baccata</i>	Siberian	3	I	M	
<i>Tiliaceae</i>	<i>Tilia</i> (Linden)	<i>tomentosa</i>	silver leaf, silver	5a	I	L	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>grandifolia</i>	southern	6a	I	M	
<i>Betulaceae</i>	<i>Alnus</i> (Alder)	<i>rugosa</i>	speckled	3b	P	S	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>subhirtella</i>	cherry	6a	I	M	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>stellata</i>	star	5a	I	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>pensylvanicum</i>	striped	4b	G	M	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>saccharum</i>	sugar	3	G	L	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>bicolor</i>	swamp white	4	I	L	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>virginiana</i>	sweetbay	5b	G	S	
<i>Hamamelidaceae</i>	<i>Liquidambar</i> (Sweetgum)	<i>styraciflua</i>	sweetgum	5b	I	L	Specify seedless
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>pseudoplatanus</i>	sycamore	5	G	M	
<i>Pinaceae</i>	<i>Larix</i> (Larch)	<i>laricina</i>	tamarack, eastern, American	2	I	L	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>tataricum</i>	tatarian	3	I	S	
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>triflorum</i>	three-flower	5a	G	M	

MASTER STREET TREE PLAN - APPROVED STREET TREES
(WATERVILLE TREE COMMISSION LIST 2A)

APPROVED BY WATERVILLE TREE COMMISSION MAY 8, 2014

Family	Genus	Species	Common Name	Hardy Zone	Site Quality Poor, Int, Good	Size	Notes
<i>Acereae</i>	<i>Acer</i> (Maple)	<i>buergerianum</i>	trident	6a	I	M	
<i>Roseaceae</i>	<i>Malus</i> (Crabapple)	<i>tschonoski</i>	tschonoski	3	P	S	
<i>Magnoliaceae</i>	<i>Liriodendron</i>	<i>tulipifera</i>	poplar	5a	G	L	
<i>Betulaceae</i>	<i>Corylus</i> (Filbert)	<i>colurna</i>	Turkish	2b	P	M	
<i>Styracaceae</i>	<i>Halesia</i> (Silverbell)	<i>diptera</i>	two winged	6	I	M	
<i>Magnoliaceae</i>	<i>Magnolia</i> (Magnolia)	<i>tripetala</i>	umbrella	5a	G	M	
<i>Betulaceae</i>	<i>Alnus</i> (Alder)	<i>incana</i>	white	3a	P	S	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>alba</i>	white	4	G	L	
<i>Cornaceae</i>	<i>Cornus</i> (Dogwood)	<i>florida</i>	white flowering	5b	G	S	
<i>Fagaceae</i>	<i>Quercus</i> (Oak)	<i>phellos</i>	willow	6a	I	M	
<i>Juglandaceae</i>	<i>Pterocarya</i>	<i>fraxinifolia</i>	wingnut	6a	G	L	
<i>Fabaceae</i>	<i>Cladratis</i>	<i>kentukea</i>	yellowwood	4	I	M	
<i>Roseaceae</i>	<i>Prunus</i> (Cherry)	<i>x yedoensis</i>	yoshino	5b	I	M	
<i>Ulmaceae</i>	<i>Zelkova</i>	<i>serrata</i>	zelkova, Japanese zelkova	5a	P	L	